



# 中国国家强制性产品认证证书

证书编号：2019010401206695

委托人名称、地址

Getriebebau NORD GmbH & Co. KG  
Getriebebau-Nord-Str. 1, 22941 Bargteheide/Hamburg Germany

生产者（制造商）名称、地址

Getriebebau NORD GmbH & Co. KG  
Getriebebau-Nord-Str. 1, 22941 Bargteheide/Hamburg Germany

生产企业名称、地址

诺德(中国)传动设备有限公司  
江苏省苏州工业园区归家巷 210 号

产品名称和系列、规格、型号

三相异步电动机

见附件

产品标准和技术要求

GB/T12350-2009

上述产品符合强制性产品认证实施规则 CNCA-C04-01:2014 的要求，  
特发此证。

发证日期：2019 年 07 月 22 日      有效期至：2024 年 06 月 03 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 [www.cnca.gov.cn](http://www.cnca.gov.cn) 查询



主任：

陆楠



## 中国质量认证中心



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

**CERTIFICATE NO.:** 2019010401206695

## **NAME AND ADDRESS OF THE APPLICANT**

Getriebebau NORD GmbH & Co.KG  
Getriebebau-Nord-Str. 1,22941 Bargteheide/Hamburg Germany

## **NAME AND ADDRESS OF THE MANUFACTURER**

Getriebebau NORD GmbH & Co.KG  
Getriebebau-Nord-Str. 1,22941 Bargteheide/Hamburg Germany

## **NAME AND ADDRESS OF THE FACTORY**

NORD(China) Power Transmission Co;Ltd.  
No.210 Guijia lane Suzhou Industrial Park

## **PRODUCT NAME, MODEL AND SPECIFICATION**

Three-phase Asynchronous Motor  
To Appendix

## **THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB/T12350-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C04-01:2014).

**Valid from:** Jul.22,2019

**Valid until:** Jun.03,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



President:

Lu Mei



**CHINA QUALITY CERTIFICATION CENTRE**



# 中国国家强制性产品认证证书

附 录

第 1 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

序号	型号	额定电压	额定频率 (Hz)	额定功率 (W)	额定转速 或极数	工作制	绝缘 等级
1.	SK63*/4 *	见注 1	50、60、50/60	40	4P	见注 2	F
2.	SK63*/4 *	见注 1	50、60、50/60	45	4P	见注 2	F
3.	SK63*/4 *	见注 1	50、60、50/60	60	4P	见注 2	F
4.	SK63*/4 *	见注 1	50、60、50/60	69	4P	见注 2	F
5.	SK63*/4 *	见注 1	50、60、50/60	70	4P	见注 2	F
6.	SK63*/4 *	见注 1	50、60、50/60	90	4P	见注 2	F
7.	SK63*/4 *	见注 1	50、60、50/60	100	4P	见注 2	F
8.	SK63*/4 *	见注 1	50、60、50/60	104	4P	见注 2	F
9.	SK63*/4 *	见注 1	50、60、50/60	108	4P	见注 2	F
10.	SK63*/4 *	见注 1	50、60、50/60	110	4P	见注 2	F
11.	SK63*/4 *	见注 1	50、60、50/60	120	4P	见注 2	F
12.	SK63*/4 *	见注 1	50、60、50/60	130	4P	见注 2	F
13.	SK63*/4 *	见注 1	50、60、50/60	138	4P	见注 2	F
14.	SK63*/4 *	见注 1	50、60、50/60	140	4P	见注 2	F
15.	SK63*/4 *	见注 1	50、60、50/60	150	4P	见注 2	F
16.	SK63*/4 *	见注 1	50、60、50/60	160	4P	见注 2	F
17.	SK63*/4 *	见注 1	50、60、50/60	180	4P	见注 2	F
18.	SK63*/4 *	见注 1	50、60、50/60	190	4P	见注 2	F
19.	SK63*/4 *	见注 1	50、60、50/60	200	4P	见注 2	F
20.	SK63*/4 *	见注 1	50、60、50/60	210	4P	见注 2	F
21.	SK63*/4 *	见注 1	50、60、50/60	220	4P	见注 2	F
22.	SK63*/4 *	见注 1	50、60、50/60	230	4P	见注 2	F
23.	SK63*/4 *	见注 1	50、60、50/60	250	4P	见注 2	F
24.	SK63*/4 *	见注 1	50、60、50/60	260	4P	见注 2	F
25.	SK63*/4 *	见注 1	50、60、50/60	280	4P	见注 2	F
26.	SK63*/4 *	见注 1	50、60、50/60	290	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任： 陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 2 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

27.	SK63*/4 *	见注 1	50、60、50/60	300	4P	见注 2	F
28.	SK63*/4 *	见注 1	50、60、50/60	310	4P	见注 2	F
29.	SK63*/4 *	见注 1	50、60、50/60	330	4P	见注 2	F
30.	SK63*/4 *	见注 1	50、60、50/60	360	4P	见注 2	F
31.	SK63*/4 *	见注 1	50、60、50/60	370	4P	见注 2	F
32.	SK63*/4 *	见注 1	50、60、50/60	400	4P	见注 2	F
33.	SK63*/4 *	见注 1	50、60、50/60	410	4P	见注 2	F
34.	SK63*/4 *	见注 1	50、60、50/60	430	4P	见注 2	F
35.	SK63*/4 *	见注 1	50、60、50/60	450	4P	见注 2	F
36.	SK63*/4 *	见注 1	50、60、50/60	480	4P	见注 2	F
37.	SK63*/4 *	见注 1	50、60、50/60	500	4P	见注 2	F
38.	SK63*/4 *	见注 1	50、60、50/60	550	4P	见注 2	F
39.	SK63*/4 *	见注 1	50、60、50/60	600	4P	见注 2	F
40.	SK63*/4 *	见注 1	50、60、50/60	610	4P	见注 2	F
41.	SK63*/4 *	见注 1	50、60、50/60	630	4P	见注 2	F
42.	SK63*/4 *	见注 1	50、60、50/60	640	4P	见注 2	F
43.	SK71*/4 *	见注 1	50、60、50/60	80	4P	见注 2	F
44.	SK71*/4 *	见注 1	50、60、50/60	90	4P	见注 2	F
45.	SK71*/4 *	见注 1	50、60、50/60	100	4P	见注 2	F
46.	SK71*/4 *	见注 1	50、60、50/60	110	4P	见注 2	F
47.	SK71*/4 *	见注 1	50、60、50/60	120	4P	见注 2	F
48.	SK71*/4 *	见注 1	50、60、50/60	130	4P	见注 2	F
49.	SK71*/4 *	见注 1	50、60、50/60	138	4P	见注 2	F
50.	SK71*/4 *	见注 1	50、60、50/60	140	4P	见注 2	F
51.	SK71*/4 *	见注 1	50、60、50/60	150	4P	见注 2	F
52.	SK71*/4 *	见注 1	50、60、50/60	160	4P	见注 2	F
53.	SK71*/4 *	见注 1	50、60、50/60	180	4P	见注 2	F
54.	SK71*/4 *	见注 1	50、60、50/60	190	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 3 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

55.	SK71*/4 *	见注 1	50、60、50/60	200	4P	见注 2	F
56.	SK71*/4 *	见注 1	50、60、50/60	210	4P	见注 2	F
57.	SK71*/4 *	见注 1	50、60、50/60	220	4P	见注 2	F
58.	SK71*/4 *	见注 1	50、60、50/60	230	4P	见注 2	F
59.	SK71*/4 *	见注 1	50、60、50/60	240	4P	见注 2	F
60.	SK71*/4 *	见注 1	50、60、50/60	250	4P	见注 2	F
61.	SK71*/4 *	见注 1	50、60、50/60	260	4P	见注 2	F
62.	SK71*/4 *	见注 1	50、60、50/60	280	4P	见注 2	F
63.	SK71*/4 *	见注 1	50、60、50/60	290	4P	见注 2	F
64.	SK71*/4 *	见注 1	50、60、50/60	300	4P	见注 2	F
65.	SK71*/4 *	见注 1	50、60、50/60	310	4P	见注 2	F
66.	SK71*/4 *	见注 1	50、60、50/60	320	4P	见注 2	F
67.	SK71*/4 *	见注 1	50、60、50/60	330	4P	见注 2	F
68.	SK71*/4 *	见注 1	50、60、50/60	343	4P	见注 2	F
69.	SK71*/4 *	见注 1	50、60、50/60	360	4P	见注 2	F
70.	SK71*/4 *	见注 1	50、60、50/60	370	4P	见注 2	F
71.	SK71*/4 *	见注 1	50、60、50/60	400	4P	见注 2	F
72.	SK71*/4 *	见注 1	50、60、50/60	410	4P	见注 2	F
73.	SK71*/4 *	见注 1	50、60、50/60	430	4P	见注 2	F
74.	SK71*/4 *	见注 1	50、60、50/60	440	4P	见注 2	F
75.	SK71*/4 *	见注 1	50、60、50/60	450	4P	见注 2	F
76.	SK71*/4 *	见注 1	50、60、50/60	470	4P	见注 2	F
77.	SK71*/4 *	见注 1	50、60、50/60	480	4P	见注 2	F
78.	SK71*/4 *	见注 1	50、60、50/60	500	4P	见注 2	F
79.	SK71*/4 *	见注 1	50、60、50/60	520	4P	见注 2	F
80.	SK71*/4 *	见注 1	50、60、50/60	550	4P	见注 2	F
81.	SK71*/4 *	见注 1	50、60、50/60	600	4P	见注 2	F
82.	SK71*/4 *	见注 1	50、60、50/60	610	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 4 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

83.	SK71*/4 *	见注 1	50、60、50/60	630	4P	见注 2	F
84.	SK71*/4 *	见注 1	50、60、50/60	650	4P	见注 2	F
85.	SK71*/4 *	见注 1	50、60、50/60	680	4P	见注 2	F
86.	SK71*/4 *	见注 1	50、60、50/60	700	4P	见注 2	F
87.	SK71*/4 *	见注 1	50、60、50/60	750	4P	见注 2	F
88.	SK71*/4 *	见注 1	50、60、50/60	800	4P	见注 2	F
89.	SK71*/4 *	见注 1	50、60、50/60	830	4P	见注 2	F
90.	SK71*/4 *	见注 1	50、60、50/60	850	4P	见注 2	F
91.	SK71*/4 *	见注 1	50、60、50/60	860	4P	见注 2	F
92.	SK71*/4 *	见注 1	50、60、50/60	900	4P	见注 2	F
93.	SK71*/4 *	见注 1	50、60、50/60	950	4P	见注 2	F
94.	SK71*/4 *	见注 1	50、60、50/60	1000	4P	见注 2	F
95.	SK71*/4 *	见注 1	50、60、50/60	1100	4P	见注 2	F
96.	SK80*/4 *	见注 1	50、60、50/60	170	4P	见注 2	F
97.	SK80*/4 *	见注 1	50、60、50/60	180	4P	见注 2	F
98.	SK80*/4 *	见注 1	50、60、50/60	190	4P	见注 2	F
99.	SK80*/4 *	见注 1	50、60、50/60	200	4P	见注 2	F
100.	SK80*/4 *	见注 1	50、60、50/60	210	4P	见注 2	F
101.	SK80*/4 *	见注 1	50、60、50/60	220	4P	见注 2	F
102.	SK80*/4 *	见注 1	50、60、50/60	230	4P	见注 2	F
103.	SK80*/4 *	见注 1	50、60、50/60	250	4P	见注 2	F
104.	SK80*/4 *	见注 1	50、60、50/60	260	4P	见注 2	F
105.	SK80*/4 *	见注 1	50、60、50/60	280	4P	见注 2	F
106.	SK80*/4 *	见注 1	50、60、50/60	290	4P	见注 2	F
107.	SK80*/4 *	见注 1	50、60、50/60	300	4P	见注 2	F
108.	SK80*/4 *	见注 1	50、60、50/60	310	4P	见注 2	F
109.	SK80*/4 *	见注 1	50、60、50/60	330	4P	见注 2	F
110.	SK80*/4 *	见注 1	50、60、50/60	350	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 5 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

111.	SK80*/4 *	见注 1	50、60、50/60	360	4P	见注 2	F
112.	SK80*/4 *	见注 1	50、60、50/60	370	4P	见注 2	F
113.	SK80*/4 *	见注 1	50、60、50/60	400	4P	见注 2	F
114.	SK80*/4 *	见注 1	50、60、50/60	410	4P	见注 2	F
115.	SK80*/4 *	见注 1	50、60、50/60	430	4P	见注 2	F
116.	SK80*/4 *	见注 1	50、60、50/60	450	4P	见注 2	F
117.	SK80*/4 *	见注 1	50、60、50/60	470	4P	见注 2	F
118.	SK80*/4 *	见注 1	50、60、50/60	480	4P	见注 2	F
119.	SK80*/4 *	见注 1	50、60、50/60	500	4P	见注 2	F
120.	SK80*/4 *	见注 1	50、60、50/60	530	4P	见注 2	F
121.	SK80*/4 *	见注 1	50、60、50/60	550	4P	见注 2	F
122.	SK80*/4 *	见注 1	50、60、50/60	600	4P	见注 2	F
123.	SK80*/4 *	见注 1	50、60、50/60	610	4P	见注 2	F
124.	SK80*/4 *	见注 1	50、60、50/60	630	4P	见注 2	F
125.	SK80*/4 *	见注 1	50、60、50/60	650	4P	见注 2	F
126.	SK80*/4 *	见注 1	50、60、50/60	660	4P	见注 2	F
127.	SK80*/4 *	见注 1	50、60、50/60	680	4P	见注 2	F
128.	SK80*/4 *	见注 1	50、60、50/60	690	4P	见注 2	F
129.	SK80*/4 *	见注 1	50、60、50/60	700	4P	见注 2	F
130.	SK80*/4 *	见注 1	50、60、50/60	730	4P	见注 2	F
131.	SK80*/4 *	见注 1	50、60、50/60	740	4P	见注 2	F
132.	SK80*/4 *	见注 1	50、60、50/60	750	4P	见注 2	F
133.	SK80*/4 *	见注 1	50、60、50/60	760	4P	见注 2	F
134.	SK80*/4 *	见注 1	50、60、50/60	800	4P	见注 2	F
135.	SK80*/4 *	见注 1	50、60、50/60	830	4P	见注 2	F
136.	SK80*/4 *	见注 1	50、60、50/60	850	4P	见注 2	F
137.	SK80*/4 *	见注 1	50、60、50/60	860	4P	见注 2	F
138.	SK80*/4 *	见注 1	50、60、50/60	900	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 6 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

139.	SK80*/4 *	见注 1	50、60、50/60	950	4P	见注 2	F
140.	SK80*/4 *	见注 1	50、60、50/60	1000	4P	见注 2	F
141.	SK80*/4 *	见注 1	50、60、50/60	1100	4P	见注 2	F
142.	SK80*/4 *	见注 1	60	1200	4P	见注 2	F
143.	SK80*/4 *	见注 1	60	1270	4P	见注 2	F
144.	SK80*/4 *	见注 1	60	1300	4P	见注 2	F
145.	SK90*/4 *	见注 1	50、60、50/60	430	4P	见注 2	F
146.	SK90*/4 *	见注 1	50、60、50/60	480	4P	见注 2	F
147.	SK90*/4 *	见注 1	50、60、50/60	500	4P	见注 2	F
148.	SK90*/4 *	见注 1	50、60、50/60	550	4P	见注 2	F
149.	SK90*/4 *	见注 1	50、60、50/60	590	4P	见注 2	F
150.	SK90*/4 *	见注 1	50、60、50/60	600	4P	见注 2	F
151.	SK90*/4 *	见注 1	50、60、50/60	610	4P	见注 2	F
152.	SK90*/4 *	见注 1	50、60、50/60	630	4P	见注 2	F
153.	SK90*/4 *	见注 1	50、60、50/60	650	4P	见注 2	F
154.	SK90*/4 *	见注 1	50、60、50/60	670	4P	见注 2	F
155.	SK90*/4 *	见注 1	50、60、50/60	680	4P	见注 2	F
156.	SK90*/4 *	见注 1	50、60、50/60	700	4P	见注 2	F
157.	SK90*/4 *	见注 1	50、60、50/60	750	4P	见注 2	F
158.	SK90*/4 *	见注 1	50、60、50/60	770	4P	见注 2	F
159.	SK90*/4 *	见注 1	50、60、50/60	800	4P	见注 2	F
160.	SK90*/4 *	见注 1	50、60、50/60	830	4P	见注 2	F
161.	SK90*/4 *	见注 1	50、60、50/60	850	4P	见注 2	F
162.	SK90*/4 *	见注 1	50、60、50/60	860	4P	见注 2	F
163.	SK90*/4 *	见注 1	50、60、50/60	900	4P	见注 2	F
164.	SK90*/4 *	见注 1	50、60、50/60	950	4P	见注 2	F
165.	SK90*/4 *	见注 1	50、60、50/60	1000	4P	见注 2	F
166.	SK90*/4 *	见注 1	50、60、50/60	1100	4P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心





# 中国国家强制性产品认证证书

附 录

第 7 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

167.	SK90*/4 *	见注 1	60	1200	4P	见注 2	F
168.	SK90*/4 *	见注 1	60	1250	4P	见注 2	F
169.	SK90*/4 *	见注 1	60	1270	4P	见注 2	F
170.	SK90*/4 *	见注 1	60	1290	4P	见注 2	F
171.	SK90*/4 *	见注 1	60	1300	4P	见注 2	F
172.	SK90*/4 *	见注 1	60	1320	4P	见注 2	F
173.	SK100*/4*	见注 1	50、60、50/60	550	4P	见注 2	F
174.	SK100*/4*	见注 1	50、60、50/60	600	4P	见注 2	F
175.	SK100*/4*	见注 1	50、60、50/60	610	4P	见注 2	F
176.	SK100*/4*	见注 1	50、60、50/60	630	4P	见注 2	F
177.	SK100*/4*	见注 1	50、60、50/60	650	4P	见注 2	F
178.	SK100*/4*	见注 1	50、60、50/60	680	4P	见注 2	F
179.	SK100*/4*	见注 1	50、60、50/60	700	4P	见注 2	F
180.	SK100*/4*	见注 1	50、60、50/60	750	4P	见注 2	F
181.	SK100*/4*	见注 1	50、60、50/60	800	4P	见注 2	F
182.	SK100*/4*	见注 1	50、60、50/60	830	4P	见注 2	F
183.	SK100*/4*	见注 1	50、60、50/60	850	4P	见注 2	F
184.	SK100*/4*	见注 1	50、60、50/60	860	4P	见注 2	F
185.	SK100*/4*	见注 1	50、60、50/60	900	4P	见注 2	F
186.	SK100*/4*	见注 1	50、60、50/60	950	4P	见注 2	F
187.	SK100*/4*	见注 1	50、60、50/60	1000	4P	见注 2	F
188.	SK100*/4*	见注 1	50、60、50/60	1100	4P	见注 2	F
189.	SK100*/4*	见注 1	60	1150	4P	见注 2	F
190.	SK100*/4*	见注 1	60	1200	4P	见注 2	F
191.	SK100*/4*	见注 1	60	1270	4P	见注 2	F
192.	SK100*/4*	见注 1	60	1300	4P	见注 2	F
193.	SK100*/4*	见注 1	60	1320	4P	见注 2	F
194.	SK63*/2*	见注 1	50、60、50/60	120	2P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 8 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

195.	SK63*/2*	见注 1	50、60、50/60	130	2P	见注 2	F
196.	SK63*/2*	见注 1	50、60、50/60	138	2P	见注 2	F
197.	SK63*/2*	见注 1	50、60、50/60	140	2P	见注 2	F
198.	SK63*/2*	见注 1	50、60、50/60	150	2P	见注 2	F
199.	SK63*/2*	见注 1	50、60、50/60	160	2P	见注 2	F
200.	SK63*/2*	见注 1	50、60、50/60	180	2P	见注 2	F
201.	SK63*/2*	见注 1	50、60、50/60	190	2P	见注 2	F
202.	SK63*/2*	见注 1	50、60、50/60	200	2P	见注 2	F
203.	SK63*/2*	见注 1	50、60、50/60	210	2P	见注 2	F
204.	SK63*/2*	见注 1	50、60、50/60	220	2P	见注 2	F
205.	SK63*/2*	见注 1	50、60、50/60	230	2P	见注 2	F
206.	SK63*/2*	见注 1	50、60、50/60	250	2P	见注 2	F
207.	SK63*/2*	见注 1	50、60、50/60	260	2P	见注 2	F
208.	SK63*/2*	见注 1	50、60、50/60	280	2P	见注 2	F
209.	SK63*/2*	见注 1	50、60、50/60	290	2P	见注 2	F
210.	SK63*/2*	见注 1	50、60、50/60	300	2P	见注 2	F
211.	SK63*/2*	见注 1	50、60、50/60	310	2P	见注 2	F
212.	SK63*/2*	见注 1	50、60、50/60	320	2P	见注 2	F
213.	SK63*/2*	见注 1	50、60、50/60	330	2P	见注 2	F
214.	SK63*/2*	见注 1	50、60、50/60	360	2P	见注 2	F
215.	SK63*/2*	见注 1	50、60、50/60	370	2P	见注 2	F
216.	SK63*/2*	见注 1	50、60、50/60	400	2P	见注 2	F
217.	SK63*/2*	见注 1	50、60、50/60	410	2P	见注 2	F
218.	SK63*/2*	见注 1	50、60、50/60	430	2P	见注 2	F
219.	SK63*/2*	见注 1	50、60、50/60	450	2P	见注 2	F
220.	SK63*/2*	见注 1	50、60、50/60	480	2P	见注 2	F
221.	SK63*/2*	见注 1	50、60、50/60	500	2P	见注 2	F
222.	SK63*/2*	见注 1	50、60、50/60	550	2P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 9 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

223.	SK71*/2*	见注 1	50、60、50/60	140	2P	见注 2	F
224.	SK71*/2*	见注 1	50、60、50/60	150	2P	见注 2	F
225.	SK71*/2*	见注 1	50、60、50/60	160	2P	见注 2	F
226.	SK71*/2*	见注 1	50、60、50/60	180	2P	见注 2	F
227.	SK71*/2*	见注 1	50、60、50/60	190	2P	见注 2	F
228.	SK71*/2*	见注 1	50、60、50/60	200	2P	见注 2	F
229.	SK71*/2*	见注 1	50、60、50/60	210	2P	见注 2	F
230.	SK71*/2*	见注 1	50、60、50/60	220	2P	见注 2	F
231.	SK71*/2*	见注 1	50、60、50/60	230	2P	见注 2	F
232.	SK71*/2*	见注 1	50、60、50/60	250	2P	见注 2	F
233.	SK71*/2*	见注 1	50、60、50/60	260	2P	见注 2	F
234.	SK71*/2*	见注 1	50、60、50/60	280	2P	见注 2	F
235.	SK71*/2*	见注 1	50、60、50/60	290	2P	见注 2	F
236.	SK71*/2*	见注 1	50、60、50/60	300	2P	见注 2	F
237.	SK71*/2*	见注 1	50、60、50/60	310	2P	见注 2	F
238.	SK71*/2*	见注 1	50、60、50/60	330	2P	见注 2	F
239.	SK71*/2*	见注 1	50、60、50/60	360	2P	见注 2	F
240.	SK71*/2*	见注 1	50、60、50/60	370	2P	见注 2	F
241.	SK71*/2*	见注 1	50、60、50/60	400	2P	见注 2	F
242.	SK71*/2*	见注 1	50、60、50/60	410	2P	见注 2	F
243.	SK71*/2*	见注 1	50、60、50/60	430	2P	见注 2	F
244.	SK71*/2*	见注 1	50、60、50/60	450	2P	见注 2	F
245.	SK71*/2*	见注 1	50、60、50/60	480	2P	见注 2	F
246.	SK71*/2*	见注 1	50、60、50/60	500	2P	见注 2	F
247.	SK71*/2*	见注 1	50、60、50/60	550	2P	见注 2	F
248.	SK71*/2*	见注 1	50、60、50/60	600	2P	见注 2	F
249.	SK71*/2*	见注 1	50、60、50/60	610	2P	见注 2	F
250.	SK71*/2*	见注 1	50、60、50/60	630	2P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 10 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

251.	SK71*/2*	见注 1	50、60、50/60	650	2P	见注 2	F
252.	SK71*/2*	见注 1	50、60、50/60	680	2P	见注 2	F
253.	SK71*/2*	见注 1	50、60、50/60	690	2P	见注 2	F
254.	SK71*/2*	见注 1	50、60、50/60	700	2P	见注 2	F
255.	SK71*/2*	见注 1	50、60、50/60	750	2P	见注 2	F
256.	SK71*/2*	见注 1	50、60、50/60	800	2P	见注 2	F
257.	SK71*/2*	见注 1	50、60、50/60	830	2P	见注 2	F
258.	SK71*/2*	见注 1	50、60、50/60	850	2P	见注 2	F
259.	SK71*/2*	见注 1	50、60、50/60	860	2P	见注 2	F
260.	SK71*/2*	见注 1	50、60、50/60	900	2P	见注 2	F
261.	SK71*/2*	见注 1	50、60、50/60	950	2P	见注 2	F
262.	SK71*/2*	见注 1	50、60、50/60	1000	2P	见注 2	F
263.	SK71*/2*	见注 1	50、60、50/60	1100	2P	见注 2	F
264.	SK80*/2*	见注 1	50、60、50/60	330	2P	见注 2	F
265.	SK80*/2*	见注 1	50、60、50/60	360	2P	见注 2	F
266.	SK80*/2*	见注 1	50、60、50/60	370	2P	见注 2	F
267.	SK80*/2*	见注 1	50、60、50/60	400	2P	见注 2	F
268.	SK80*/2*	见注 1	50、60、50/60	410	2P	见注 2	F
269.	SK80*/2*	见注 1	50、60、50/60	430	2P	见注 2	F
270.	SK80*/2*	见注 1	50、60、50/60	450	2P	见注 2	F
271.	SK80*/2*	见注 1	50、60、50/60	480	2P	见注 2	F
272.	SK80*/2*	见注 1	50、60、50/60	500	2P	见注 2	F
273.	SK80*/2*	见注 1	50、60、50/60	550	2P	见注 2	F
274.	SK80*/2*	见注 1	50、60、50/60	600	2P	见注 2	F
275.	SK80*/2*	见注 1	50、60、50/60	610	2P	见注 2	F
276.	SK80*/2*	见注 1	50、60、50/60	630	2P	见注 2	F
277.	SK80*/2*	见注 1	50、60、50/60	650	2P	见注 2	F
278.	SK80*/2*	见注 1	50、60、50/60	680	2P	见注 2	F

注：此附录与证书同时使用时有效。



主任：陆梅



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 11 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

279.	SK80*/2*	见注 1	50、60、50/60	700	2P	见注 2	F
280.	SK80*/2*	见注 1	50、60、50/60	750	2P	见注 2	F
281.	SK80*/2*	见注 1	50、60、50/60	800	2P	见注 2	F
282.	SK80*/2*	见注 1	50、60、50/60	830	2P	见注 2	F
283.	SK80*/2*	见注 1	50、60、50/60	850	2P	见注 2	F
284.	SK80*/2*	见注 1	50、60、50/60	860	2P	见注 2	F
285.	SK80*/2*	见注 1	50、60、50/60	900	2P	见注 2	F
286.	SK80*/2*	见注 1	50、60、50/60	950	2P	见注 2	F
287.	SK80*/2*	见注 1	50、60、50/60	1000	2P	见注 2	F
288.	SK80*/2*	见注 1	50、60、50/60	1100	2P	见注 2	F
289.	SK80*/2*	见注 1	50、60、50/60	1200	2P	见注 2	F
290.	SK80*/2*	见注 1	50、60、50/60	1270	2P	见注 2	F
291.	SK80*/2*	见注 1	50、60、50/60	1300	2P	见注 2	F
292.	SK80*/2*	见注 1	50、60、50/60	1350	2P	见注 2	F
293.	SK80*/2*	见注 1	50、60、50/60	1380	2P	见注 2	F
294.	SK80*/2*	见注 1	50、60、50/60	1400	2P	见注 2	F
295.	SK80*/2*	见注 1	50、60、50/60	1500	2P	见注 2	F
296.	SK80*/2*	见注 1	50、60、50/60	1600	2P	见注 2	F
297.	SK80*/2*	见注 1	50、60、50/60	1700	2P	见注 2	F
298.	SK80*/2*	见注 1	50、60、50/60	1730	2P	见注 2	F
299.	SK80*/2*	见注 1	50、60、50/60	1750	2P	见注 2	F
300.	SK80*/2*	见注 1	50、60、50/60	1800	2P	见注 2	F
301.	SK80*/2*	见注 1	50、60、50/60	1900	2P	见注 2	F
302.	SK80*/2*	见注 1	50、60、50/60	2000	2P	见注 2	F
303.	SK80*/2*	见注 1	50、60、50/60	2200	2P	见注 2	F
304.	SK90*/2*	见注 1	50、60、50/60	550	2P	见注 2	F
305.	SK90*/2*	见注 1	50、60、50/60	630	2P	见注 2	F
306.	SK90*/2*	见注 1	50、60、50/60	750	2P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 12 页 共 21 页

证书编号: 2019010401206695

纸 号: 2365161

307.	SK90*/2*	见注 1	50、60、50/60	860	2P	见注 2	F
308.	SK90*/2*	见注 1	50、60、50/60	900	2P	见注 2	F
309.	SK90*/2*	见注 1	50、60、50/60	950	2P	见注 2	F
310.	SK90*/2*	见注 1	50、60、50/60	1000	2P	见注 2	F
311.	SK90*/2*	见注 1	50、60、50/60	1100	2P	见注 2	F
312.	SK90*/2*	见注 1	50、60、50/60	1200	2P	见注 2	F
313.	SK90*/2*	见注 1	50、60、50/60	1270	2P	见注 2	F
314.	SK90*/2*	见注 1	50、60、50/60	1300	2P	见注 2	F
315.	SK90*/2*	见注 1	50、60、50/60	1350	2P	见注 2	F
316.	SK90*/2*	见注 1	50、60、50/60	1400	2P	见注 2	F
317.	SK90*/2*	见注 1	50、60、50/60	1500	2P	见注 2	F
318.	SK90*/2*	见注 1	50、60、50/60	1600	2P	见注 2	F
319.	SK90*/2*	见注 1	50、60、50/60	1700	2P	见注 2	F
320.	SK90*/2*	见注 1	50、60、50/60	1730	2P	见注 2	F
321.	SK90*/2*	见注 1	50、60、50/60	1750	2P	见注 2	F
322.	SK90*/2*	见注 1	50、60、50/60	1800	2P	见注 2	F
323.	SK90*/2*	见注 1	50、60、50/60	1900	2P	见注 2	F
324.	SK90*/2*	见注 1	50、60、50/60	2000	2P	见注 2	F
325.	SK90*/2*	见注 1	50、60、50/60	2200	2P	见注 2	F
326.	SK90*/2*	见注 1	60	2300	2P	见注 2	F
327.	SK90*/2*	见注 1	60	2400	2P	见注 2	F
328.	SK90*/2*	见注 1	60	2500	2P	见注 2	F
329.	SK90*/2*	见注 1	60	2550	2P	见注 2	F
330.	SK90*/2*	见注 1	60	2600	2P	见注 2	F
331.	SK100*/2*	见注 1	50、60、50/60	1500	2P	见注 2	F
332.	SK100*/2*	见注 1	50、60、50/60	1600	2P	见注 2	F
333.	SK100*/2*	见注 1	50、60、50/60	1700	2P	见注 2	F
334.	SK100*/2*	见注 1	50、60、50/60	1730	2P	见注 2	F

注: 此附录与证书同时使用时有效。



主 任: 陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 13 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

335.	SK100*/2*	见注 1	50、60、50/60	1750	2P	见注 2	F
336.	SK100*/2*	见注 1	50、60、50/60	1800	2P	见注 2	F
337.	SK100*/2*	见注 1	50、60、50/60	1900	2P	见注 2	F
338.	SK100*/2*	见注 1	50、60、50/60	2000	2P	见注 2	F
339.	SK100*/2*	见注 1	50、60、50/60	2200	2P	见注 2	F
340.	SK100*/2*	见注 1	60	2250	2P	见注 2	F
341.	SK100*/2*	见注 1	60	2300	2P	见注 2	F
342.	SK100*/2*	见注 1	60	2400	2P	见注 2	F
343.	SK100*/2*	见注 1	60	2550	2P	见注 2	F
344.	SK100*/2*	见注 1	60	2600	2P	见注 2	F
345.	SK63*/6*	见注 1	50、60、50/60	40	6P	见注 2	F
346.	SK63*/6*	见注 1	50、60、50/60	45	6P	见注 2	F
347.	SK63*/6*	见注 1	50、60、50/60	54	6P	见注 2	F
348.	SK63*/6*	见注 1	50、60、50/60	58	6P	见注 2	F
349.	SK63*/6*	见注 1	50、60、50/60	60	6P	见注 2	F
350.	SK63*/6*	见注 1	50、60、50/60	70	6P	见注 2	F
351.	SK63*/6*	见注 1	50、60、50/60	75	6P	见注 2	F
352.	SK63*/6*	见注 1	50、60、50/60	90	6P	见注 2	F
353.	SK63*/6*	见注 1	50、60、50/60	100	6P	见注 2	F
354.	SK63*/6*	见注 1	50、60、50/60	110	6P	见注 2	F
355.	SK63*/6*	见注 1	50、60、50/60	120	6P	见注 2	F
356.	SK63*/6*	见注 1	50、60、50/60	130	6P	见注 2	F
357.	SK63*/6*	见注 1	50、60、50/60	138	6P	见注 2	F
358.	SK63*/6*	见注 1	50、60、50/60	140	6P	见注 2	F
359.	SK63*/6*	见注 1	50、60、50/60	150	6P	见注 2	F
360.	SK63*/6*	见注 1	50、60、50/60	180	6P	见注 2	F
361.	SK63*/6*	见注 1	50、60、50/60	190	6P	见注 2	F
362.	SK63*/6*	见注 1	50、60、50/60	200	6P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 14 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

363.	SK63*/6*	见注 1	50、60、50/60	210	6P	见注 2	F
364.	SK63*/6*	见注 1	50、60、50/60	220	6P	见注 2	F
365.	SK63*/6*	见注 1	50、60、50/60	230	6P	见注 2	F
366.	SK63*/6*	见注 1	50、60、50/60	250	6P	见注 2	F
367.	SK71*/6*	见注 1	50、60、50/60	80	6P	见注 2	F
368.	SK71*/6*	见注 1	50、60、50/60	90	6P	见注 2	F
369.	SK71*/6*	见注 1	50、60、50/60	100	6P	见注 2	F
370.	SK71*/6*	见注 1	50、60、50/60	110	6P	见注 2	F
371.	SK71*/6*	见注 1	50、60、50/60	120	6P	见注 2	F
372.	SK71*/6*	见注 1	50、60、50/60	130	6P	见注 2	F
373.	SK71*/6*	见注 1	50、60、50/60	138	6P	见注 2	F
374.	SK71*/6*	见注 1	50、60、50/60	140	6P	见注 2	F
375.	SK71*/6*	见注 1	50、60、50/60	150	6P	见注 2	F
376.	SK71*/6*	见注 1	50、60、50/60	160	6P	见注 2	F
377.	SK71*/6*	见注 1	50、60、50/60	180	6P	见注 2	F
378.	SK71*/6*	见注 1	50、60、50/60	190	6P	见注 2	F
379.	SK71*/6*	见注 1	50、60、50/60	200	6P	见注 2	F
380.	SK71*/6*	见注 1	50、60、50/60	210	6P	见注 2	F
381.	SK71*/6*	见注 1	50、60、50/60	220	6P	见注 2	F
382.	SK71*/6*	见注 1	50、60、50/60	230	6P	见注 2	F
383.	SK71*/6*	见注 1	50、60、50/60	250	6P	见注 2	F
384.	SK71*/6*	见注 1	50、60、50/60	260	6P	见注 2	F
385.	SK71*/6*	见注 1	50、60、50/60	280	6P	见注 2	F
386.	SK71*/6*	见注 1	50、60、50/60	290	6P	见注 2	F
387.	SK71*/6*	见注 1	50、60、50/60	300	6P	见注 2	F
388.	SK71*/6*	见注 1	50、60、50/60	310	6P	见注 2	F
389.	SK71*/6*	见注 1	50、60、50/60	320	6P	见注 2	F
390.	SK71*/6*	见注 1	50、60、50/60	330	6P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心





# 中国国家强制性产品认证证书

附 录

第 15 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

391.	SK71*/6*	见注 1	50、60、50/60	360	6P	见注 2	F
392.	SK71*/6*	见注 1	50、60、50/60	370	6P	见注 2	F
393.	SK71*/6*	见注 1	50、60、50/60	400	6P	见注 2	F
394.	SK71*/6*	见注 1	50、60、50/60	410	6P	见注 2	F
395.	SK71*/6*	见注 1	50、60、50/60	430	6P	见注 2	F
396.	SK71*/6*	见注 1	50、60、50/60	450	6P	见注 2	F
397.	SK71*/6*	见注 1	50、60、50/60	480	6P	见注 2	F
398.	SK71*/6*	见注 1	50、60、50/60	500	6P	见注 2	F
399.	SK80*/6*	见注 1	50、60、50/60	120	6P	见注 2	F
400.	SK80*/6*	见注 1	50、60、50/60	130	6P	见注 2	F
401.	SK80*/6*	见注 1	50、60、50/60	138	6P	见注 2	F
402.	SK80*/6*	见注 1	50、60、50/60	140	6P	见注 2	F
403.	SK80*/6*	见注 1	50、60、50/60	150	6P	见注 2	F
404.	SK80*/6*	见注 1	50、60、50/60	160	6P	见注 2	F
405.	SK80*/6*	见注 1	50、60、50/60	180	6P	见注 2	F
406.	SK80*/6*	见注 1	50、60、50/60	190	6P	见注 2	F
407.	SK80*/6*	见注 1	50、60、50/60	200	6P	见注 2	F
408.	SK80*/6*	见注 1	50、60、50/60	210	6P	见注 2	F
409.	SK80*/6*	见注 1	50、60、50/60	220	6P	见注 2	F
410.	SK80*/6*	见注 1	50、60、50/60	230	6P	见注 2	F
411.	SK80*/6*	见注 1	50、60、50/60	250	6P	见注 2	F
412.	SK80*/6*	见注 1	50、60、50/60	260	6P	见注 2	F
413.	SK80*/6*	见注 1	50、60、50/60	270	6P	见注 2	F
414.	SK80*/6*	见注 1	50、60、50/60	280	6P	见注 2	F
415.	SK80*/6*	见注 1	50、60、50/60	290	6P	见注 2	F
416.	SK80*/6*	见注 1	50、60、50/60	300	6P	见注 2	F
417.	SK80*/6*	见注 1	50、60、50/60	310	6P	见注 2	F
418.	SK80*/6*	见注 1	50、60、50/60	330	6P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 16 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

419.	SK80*/6*	见注 1	50、60、50/60	360	6P	见注 2	F
420.	SK80*/6*	见注 1	50、60、50/60	370	6P	见注 2	F
421.	SK80*/6*	见注 1	50、60、50/60	400	6P	见注 2	F
422.	SK80*/6*	见注 1	50、60、50/60	410	6P	见注 2	F
423.	SK80*/6*	见注 1	50、60、50/60	430	6P	见注 2	F
424.	SK80*/6*	见注 1	50、60、50/60	450	6P	见注 2	F
425.	SK80*/6*	见注 1	50、60、50/60	470	6P	见注 2	F
426.	SK80*/6*	见注 1	50、60、50/60	480	6P	见注 2	F
427.	SK80*/6*	见注 1	50、60、50/60	500	6P	见注 2	F
428.	SK80*/6*	见注 1	50、60、50/60	550	6P	见注 2	F
429.	SK80*/6*	见注 1	50、60、50/60	600	6P	见注 2	F
430.	SK80*/6*	见注 1	50、60、50/60	610	6P	见注 2	F
431.	SK80*/6*	见注 1	50、60、50/60	630	6P	见注 2	F
432.	SK80*/6*	见注 1	50、60、50/60	650	6P	见注 2	F
433.	SK80*/6*	见注 1	50、60、50/60	680	6P	见注 2	F
434.	SK80*/6*	见注 1	50、60、50/60	690	6P	见注 2	F
435.	SK80*/6*	见注 1	50、60、50/60	700	6P	见注 2	F
436.	SK80*/6*	见注 1	50、60、50/60	750	6P	见注 2	F
437.	SK80*/6*	见注 1	60	800	6P	见注 2	F
438.	SK80*/6*	见注 1	60	830	6P	见注 2	F
439.	SK80*/6*	见注 1	60	850	6P	见注 2	F
440.	SK80*/6*	见注 1	60	860	6P	见注 2	F
441.	SK90*/6*	见注 1	50、60、50/60	370	6P	见注 2	F
442.	SK90*/6*	见注 1	50、60、50/60	430	6P	见注 2	F
443.	SK90*/6*	见注 1	50、60、50/60	500	6P	见注 2	F
444.	SK90*/6*	见注 1	50、60、50/60	550	6P	见注 2	F
445.	SK90*/6*	见注 1	50、60、50/60	600	6P	见注 2	F
446.	SK90*/6*	见注 1	50、60、50/60	610	6P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 17 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

447.	SK90*/6*	见注 1	50、60、50/60	630	6P	见注 2	F
448.	SK90*/6*	见注 1	50、60、50/60	650	6P	见注 2	F
449.	SK90*/6*	见注 1	50、60、50/60	680	6P	见注 2	F
450.	SK90*/6*	见注 1	50、60、50/60	700	6P	见注 2	F
451.	SK90*/6*	见注 1	50、60、50/60	750	6P	见注 2	F
452.	SK90*/6*	见注 1	60	800	6P	见注 2	F
453.	SK90*/6*	见注 1	60	830	6P	见注 2	F
454.	SK90*/6*	见注 1	60	850	6P	见注 2	F
455.	SK90*/6*	见注 1	60	860	6P	见注 2	F
456.	SK100*/6*	见注 1	50、60、50/60	550	6P	见注 2	F
457.	SK100*/6*	见注 1	50、60、50/60	600	6P	见注 2	F
458.	SK100*/6*	见注 1	50、60、50/60	610	6P	见注 2	F
459.	SK100*/6*	见注 1	50、60、50/60	620	6P	见注 2	F
460.	SK100*/6*	见注 1	50、60、50/60	630	6P	见注 2	F
461.	SK100*/6*	见注 1	50、60、50/60	650	6P	见注 2	F
462.	SK100*/6*	见注 1	50、60、50/60	680	6P	见注 2	F
463.	SK100*/6*	见注 1	50、60、50/60	700	6P	见注 2	F
464.	SK100*/6*	见注 1	50、60、50/60	750	6P	见注 2	F
465.	SK100*/6*	见注 1	60	800	6P	见注 2	F
466.	SK100*/6*	见注 1	60	830	6P	见注 2	F
467.	SK100*/6*	见注 1	60	850	6P	见注 2	F
468.	SK100*/6*	见注 1	60	860	6P	见注 2	F
469.	SK63*/8*	见注 1	50、60、50/60	40	8P	见注 2	F
470.	SK63*/8*	见注 1	50、60、50/60	45	8P	见注 2	F
471.	SK63*/8*	见注 1	50、60、50/60	50	8P	见注 2	F
472.	SK63*/8*	见注 1	50、60、50/60	60	8P	见注 2	F
473.	SK63*/8*	见注 1	50、60、50/60	70	8P	见注 2	F
474.	SK63*/8*	见注 1	50、60、50/60	90	8P	见注 2	F

注：此附录与证书同时使用时有效。



主 任： 陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 18 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

475.	SK63*/8*	见注 1	50、60、50/60	100	8P	见注 2	F
476.	SK63*/8*	见注 1	50、60、50/60	110	8P	见注 2	F
477.	SK63*/8*	见注 1	50、60、50/60	120	8P	见注 2	F
478.	SK63*/8*	见注 1	50、60、50/60	130	8P	见注 2	F
479.	SK63*/8*	见注 1	50、60、50/60	138	8P	见注 2	F
480.	SK63*/8*	见注 1	50、60、50/60	140	8P	见注 2	F
481.	SK63*/8*	见注 1	50、60、50/60	150	8P	见注 2	F
482.	SK63*/8*	见注 1	50、60、50/60	180	8P	见注 2	F
483.	SK71*/8*	见注 1	50、60、50/60	80	8P	见注 2	F
484.	SK71*/8*	见注 1	50、60、50/60	90	8P	见注 2	F
485.	SK71*/8*	见注 1	50、60、50/60	100	8P	见注 2	F
486.	SK71*/8*	见注 1	50、60、50/60	110	8P	见注 2	F
487.	SK71*/8*	见注 1	50、60、50/60	120	8P	见注 2	F
488.	SK71*/8*	见注 1	50、60、50/60	130	8P	见注 2	F
489.	SK71*/8*	见注 1	50、60、50/60	133	8P	见注 2	F
490.	SK71*/8*	见注 1	50、60、50/60	138	8P	见注 2	F
491.	SK71*/8*	见注 1	50、60、50/60	140	8P	见注 2	F
492.	SK71*/8*	见注 1	50、60、50/60	150	8P	见注 2	F
493.	SK71*/8*	见注 1	50、60、50/60	160	8P	见注 2	F
494.	SK71*/8*	见注 1	50、60、50/60	180	8P	见注 2	F
495.	SK71*/8*	见注 1	50、60、50/60	190	8P	见注 2	F
496.	SK71*/8*	见注 1	50、60、50/60	200	8P	见注 2	F
497.	SK71*/8*	见注 1	50、60、50/60	210	8P	见注 2	F
498.	SK71*/8*	见注 1	50、60、50/60	220	8P	见注 2	F
499.	SK71*/8*	见注 1	50、60、50/60	230	8P	见注 2	F
500.	SK71*/8*	见注 1	50、60、50/60	250	8P	见注 2	F
501.	SK71*/8*	见注 1	50、60、50/60	260	8P	见注 2	F
502.	SK71*/8*	见注 1	50、60、50/60	280	8P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 19 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

503.	SK71*/8*	见注 1	50、60、50/60	290	8P	见注 2	F
504.	SK71*/8*	见注 1	50、60、50/60	300	8P	见注 2	F
505.	SK71*/8*	见注 1	50、60、50/60	310	8P	见注 2	F
506.	SK71*/8*	见注 1	50、60、50/60	330	8P	见注 2	F
507.	SK71*/8*	见注 1	50、60、50/60	360	8P	见注 2	F
508.	SK80*/8*	见注 1	50、60、50/60	120	8P	见注 2	F
509.	SK80*/8*	见注 1	50、60、50/60	130	8P	见注 2	F
510.	SK80*/8*	见注 1	50、60、50/60	138	8P	见注 2	F
511.	SK80*/8*	见注 1	50、60、50/60	140	8P	见注 2	F
512.	SK80*/8*	见注 1	50、60、50/60	150	8P	见注 2	F
513.	SK80*/8*	见注 1	50、60、50/60	160	8P	见注 2	F
514.	SK80*/8*	见注 1	50、60、50/60	180	8P	见注 2	F
515.	SK80*/8*	见注 1	50、60、50/60	190	8P	见注 2	F
516.	SK80*/8*	见注 1	50、60、50/60	200	8P	见注 2	F
517.	SK80*/8*	见注 1	50、60、50/60	210	8P	见注 2	F
518.	SK80*/8*	见注 1	50、60、50/60	220	8P	见注 2	F
519.	SK80*/8*	见注 1	50、60、50/60	230	8P	见注 2	F
520.	SK80*/8*	见注 1	50、60、50/60	250	8P	见注 2	F
521.	SK80*/8*	见注 1	50、60、50/60	260	8P	见注 2	F
522.	SK80*/8*	见注 1	50、60、50/60	280	8P	见注 2	F
523.	SK80*/8*	见注 1	50、60、50/60	290	8P	见注 2	F
524.	SK80*/8*	见注 1	50、60、50/60	300	8P	见注 2	F
525.	SK80*/8*	见注 1	50、60、50/60	310	8P	见注 2	F
526.	SK80*/8*	见注 1	50、60、50/60	330	8P	见注 2	F
527.	SK80*/8*	见注 1	50、60、50/60	360	8P	见注 2	F
528.	SK80*/8*	见注 1	50、60、50/60	370	8P	见注 2	F
529.	SK80*/8*	见注 1	50、60、50/60	400	8P	见注 2	F
530.	SK80*/8*	见注 1	50、60、50/60	410	8P	见注 2	F

注：此附录与证书同时使用时有效。



主 任：陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 20 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

531.	SK80*/8*	见注 1	50、60、50/60	430	8P	见注 2	F
532.	SK80*/8*	见注 1	50、60、50/60	450	8P	见注 2	F
533.	SK80*/8*	见注 1	50、60、50/60	480	8P	见注 2	F
534.	SK80*/8*	见注 1	50、60、50/60	500	8P	见注 2	F
535.	SK80*/8*	见注 1	50、60、50/60	550	8P	见注 2	F
536.	SK80*/8*	见注 1	60	600	8P	见注 2	F
537.	SK80*/8*	见注 1	60	610	8P	见注 2	F
538.	SK80*/8*	见注 1	60	630	8P	见注 2	F
539.	SK80*/8*	见注 1	60	650	8P	见注 2	F
540.	SK90*/8*	见注 1	50、60、50/60	370	8P	见注 2	F
541.	SK90*/8*	见注 1	50、60、50/60	430	8P	见注 2	F
542.	SK90*/8*	见注 1	50、60、50/60	500	8P	见注 2	F
543.	SK90*/8*	见注 1	50、60、50/60	550	8P	见注 2	F
544.	SK90*/8*	见注 1	60	600	8P	见注 2	F
545.	SK90*/8*	见注 1	60	610	8P	见注 2	F
546.	SK90*/8*	见注 1	60	630	8P	见注 2	F
547.	SK90*/8*	见注 1	60	650	8P	见注 2	F

注：1. 单元覆盖产品额定电压(V)为：121△/210Y、200△/346Y、208△/360Y、220△/380Y、230△/400Y、240△/415Y、243△/420Y、254△/440Y、265△/460Y、277△/480Y、290△/500Y、332△/575Y、346△/600Y、400△/690Y、115YY/230Y、220YY/440Y、230YY/460Y、240YY/480Y、115△、208△、220△、230△、240△、243△、254△、265△、277△、290△、332△、346△、400△、220Y、346Y、360Y、380Y、400Y、415Y、420Y、440Y、460Y、480Y、500Y、525Y、575Y、600Y、690Y、220-240△/380-420Y、198-218△/342-378Y、254-277△/440-480Y。

2. 单元覆盖产品工作制为：S3-10%、S3-15%、S3-20%、S3-25%、S3-30%、S3-35%、S3-40%、S3-45%、S3-50%、S3-55%、S3-60%、S3-65%、S3-70%、S3-75%、S3-80%。

根据具体产品要求调整型号规格表的项目。

注：此附录与证书同时使用时有效。



主 任： 陆 楠



## 中国质量认证中心



# 中国国家强制性产品认证证书

附 录

第 21 页 共 21 页

证书编号：2019010401206695

纸 号：2365161

单元型号命名说明：

<u>S</u>	<u>K</u>	<u>6</u>	<u>3</u>	<u>*</u>	-	<u>4</u>	<u>*</u>
1	2	3	4	5			

1—诺德产品的标志；

2—电机中心高；

3—功率代码，用 1 到 2 位字母 A-Z 表示，可省略。

4—电机极数(2、4、6、8)

5—企业内部编码(用 1 到 4 位字母 A-Z，数字 0-9 或组合表示，可省略)

注：此附录与证书同时使用时有效。



主 任：

陆 楠



## 中国质量认证中心